

LAMPS

EcoLink has a wide range of energy-efficient lamps, crafted to illuminate your space. You can find general lighting to emergency lights, scene switch modes and multiple wattage options.






Good for reading



Cool White



For leisure time



Natural White



For intended ambience



Warm White

SCENE SWITCH LED LAMP



KEY FEATURES:



3-in-1:
Three light colors



VoltSafe
Technology



RoHS
compliant



CRI
80

APPLICATIONS



Living room



Bedroom

SHAPE	SCENE SWITCH
Power	10W
Rated Lumens (CW)	850-950
Color Temperature (CCT)	CW+NW+WW
Base Cap	B22
THD	<30
Power Factor	> 0.9
Lifetime (in hours)	NA
Approval	BIS

Master pack size 24

Rated lumens measured for highest wattage in standard test conditions. Turning on/off within 4 seconds switches to the next mode. Specifications are subject to change without prior notice.



LOW & MID WATTAGE LED BULB



KEY FEATURES:



APPLICATIONS



POWER	3W	5W	7W	9W	10W
Rated Lumens (CW)	315	525	630	825	950
Shape	A50	A55	A55	A60	A60
Color Temperature (CCT)	CW/WW	CW/WW	CW/WW	CW/WW	CW
Base Cap	B22	B22	B22	B22	B22
THD	<50	<30	<30	<30	<30
Power Factor	> 0.9	> 0.9	> 0.9	> 0.9	> 0.9
Lifetime (in hours)	10K	10K	10K	10K	10K
Approval	BIS+BEE	BIS+BEE	BIS+BEE	BIS+BEE	BIS+BEE

Rated lumens measured in standard test conditions. Specifications are subject to change without prior notice.



HIGH WATTAGE LED BULB



KEY FEATURES:



APPLICATIONS



POWER	12W	14W	18W	22W
Rated Lumens (CW)	1080	1260	1620	1980
Shape	A60	A70	A70	A80
Color Temperature (CCT)	CW/WW	CW/WW	CW/WW	CW/WW
Base Cap	B22	B22	B22	B22
THD	<30	<30	<30	<30
Power Factor	> 0.9	> 0.9	> 0.9	> 0.9
Lifetime (in hours)	10K	10K	10K	10K
Approval	BIS+BEE	BIS+BEE	BIS+BEE	BIS+BEE

Rated lumens measured in standard test conditions.
Specifications are subject to change without prior notice.



SUPER HIGH WATTAGE LED BULB



KEY FEATURES:



VoltSafe
Technology



RoHS
compliant



APPLICATIONS



Retail



Balcony

POWER	36W	45W	55W
Rated Lumens (CW)	3000	4000	5000
Shape	T100	T120	T140
Color Temperature (CCT)	CW	CW	CW
Base Cap	B22	B22	B22
THD	<30	<30	<30
Power Factor	> 0.9	> 0.9	> 0.9
Lifetime (in hours)	10K	10K	10K

Rated lumens measured in standard test conditions.
Specifications are subject to change without prior notice.



EMERGENCY BULB



KEY FEATURES:

 Up to 4 hrs of backup

 Rechargeable

 VoltSafe Technology

 RoHS compliant

 1 YEAR WARRANTY

 CRI 80

APPLICATIONS

 Living room

 Bedroom

 Home

POWER	9W	14W	20W
AC Rated Lumens	900	1200	1800
Backup hours (up to)	4 hrs	4 hrs	4 hrs
Shape	A70	A70	A90
Color Temperature (CCT)	CW	CW	CW
Base Cap	B22	B22	B22
Power Factor	> 0.9	> 0.9	> 0.9

Rated lumens measured in standard test conditions. Specifications are subject to change without prior notice.



LED T-BULB



KEY FEATURES:



Flexible body



Unique T-shape T-Bulb



Wider light spread



Lamp holder friendly



VoltSafe Technology



RoHS compliant



APPLICATIONS



Bedroom



Study

POWER	12W	15W
Rated Lumens	1080	1350
Color Temperature (CCT)	CW	CW
Base Cap	B22	B22
THD	<30%	<30%
Power Factor	> 0.9	> 0.9
Lifetime (in hours)	15K	15K
Approval	BIS+BEE	BIS+BEE
Master pack size	24	12

Rated lumens measured in standard test conditions. Specifications are subject to change without prior notice.

On



Off

MOTION SENSING BULB



KEY FEATURES:



Senses motion



Rated lumen: 900



VoltSafe Technology

CRI 80

APPLICATIONS



Washroom



Balcony



Living room



Staircase

SHAPE	A60 OVAL
Power	10W
Color Temperature (CCT)	CW
Rated Lumens	900
Base Cap	B22
Power Factor	> 0.9
Lifetime (in hours)	10K
Approval	BIS

Rated lumens measured in standard test conditions. Specifications are subject to change without prior notice.